

NFRC Product Certification Authorization Report



Manufacturer: Acurlite Structural Skylights, Inc. **Product Series:** Aluminum Sloped Skylight **Simulation Lab:** SNCT **Initial Cert. Date:** 03/05/2012
Street: 1017 North Vine Street, PO Box 5 **Product Type:** SKSL **Sim. Report #:** NCTL-110-14352-01a **Re-Certification Date:**
City/State/Zip: Berwick, PA 18603 **Air Leakage:** **Sim. Report Date:** 02/29/2012 **Revised Date:**
Print Date: 03/05/2012 **Test Date:** 11/16/2011 **Expiration Date:** 11/16/2015

CPD Number: ACL-M-1

IA: National Accreditation And Management Institute

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.
	00001-00001	6mm Solarban 70XL/ARG/Clear laminate (6mm+.060"PVB+6mm)	AT/N	2	0.018(2)	0.605	S5-D	Fill 1: ARG/AIR (90/10)	N		CL	0.45	0.24	0.51	51
	00002-00001	6mm Solarban60/ARG/Clear laminate (6mm+.060"PVB+6mm)	AT/N	2	0.035(2)	0.605	A1-D	Fill 1: ARG/AIR (90/10)	N		CL	0.48	0.33	0.56	48
	00003-00001	6mm Solarban60 Solargray/ARG/Clear laminate (6mm+.060"PVB+6mm)	AT/N	2	0.035(2)	0.605	A1-D	Fill 1: ARG/AIR (90/10)	N		GY	0.48	0.22	0.28	48
	00004-00001	6mm Solarban60 Solarbronze/ARG/Clear laminate (6mm+.060"PVB+6mm)	AT/N	2	0.035(2)	0.605	A1-D	Fill 1: ARG/AIR (90/10)	N		BZ	0.48	0.24	0.34	48
	00005-00001	6mm Solarban60/ARG/White laminate (6mm+.060"PVB+6mm)	AT/N	2	0.035(2)	0.605	A1-D	Fill 1: ARG/AIR (90/10)	N		CL	0.48	0.31	0.29	48
	00006-00001	6mm CLEAR/ARG/Clear laminate (6mm+.060"PVB+6mm)	AT/N	2		0.605	A1-D	Fill 1: ARG/AIR (90/10)	N		CL	0.61	0.59	0.63	46
	00007-00001	PPG Solarban 70XL laminate (6mm+.060"PVB+6mm)	AT/N	1	0.035(2)		N		N		CL	0.80	0.38	0.62	11
	00008-00001	Clear laminate (6mm+.060"PVB+6mm)	AT/N	1			N		N		CL	1.06	0.63	0.71	18

Baseline Information

Test Lab	Test Date	Test Size	Tested U-Value	Standard U-Value	Test Report Number
TNCT	11/16/2011	1130.3mm x 1136.7mm	0.550	0.510	NCTL-110-14353-1

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA
Signature: _____